


## Security Settings for TicTalk USB Installation


In order to successfully transfer any settings, phone numbers, appointments, photos, etc. to your TicTalk from the <http://www.mytictalk.com> website via the USB cable, the following security settings need to be changed in Internet Explorer.

Please follow these steps to change the settings:


1. Open **Internet Explorer**.
2. Click on **Tools**.
3. Click on **Internet Options**. You will see the following screen:




4. Click on the **Security** tab. You will see the following screen:



5. Click on the **Trusted Sites** icon. You will see the following screen:




6. Make sure the box marked "Require Server verification (https) for all sites in this zone" is NOT checked.
7. In the field marked "Add this Web site to the zone" enter [www.mytictalk.com](http://www.mytictalk.com).
8. Click the **Add** button.
9. The screen will now look like this:




10. Click the **OK** button until you close all configuration boxes.

MyTicTalk uses an authenticated ActiveX object to communicate with your phone. You will need to instruct your browser to download and use ActiveX objects. You do this by completing the following steps. (By default, Internet Explorer allows downloading of authenticated ActiveX objects, but you should check the settings to insure the proper operation of MyTicTalk with your browser.)


1. Open **Internet Explorer**.
2. Click on **Tools**.
3. Click on **Internet Options**. You will see the following screen:




4. Click on the **Security** tab. You will see the following screen:



5. Click on the **Custom Level** button. You will see the following screen:



6. You will need to scroll through the list of settings and look for all settings with “ActiveX” in the title. For each of these settings, click on the “**Enable**” radio button, as shown in the following screen:



7. Once you have modified all ActiveX settings, click on OK.

The TicTalk USB Configuration Page will now display properly.